

EOL Announcement

Due to force majeure factors such as chips and raw materials supply discontinuation, and to achieve unified management of product models and styles, 3onedata announces the end-of-sale and end-of-life dates for the IES6320 V1.0.0 series switches.

IES6320 V1.0.0 series will be phased out in the near future, and new products IES6300-16GT2GS2HS-2P48 V1.0.0 will be released to meet the needs of customers.

The discontinuation date for the critical service of the related products are shown in Table 1. Also, Table 2 shows substitution relationship between new and old products, and Table 3 shows the differences between the appearance of the IES6320 V1.0.0 series and IES6300-16GT2GS2HS-2P48 V1.0.0 series.

Table 1: End-of-life milestones and dates for 3onedata IES6320 V1.0.0 series.

Milestone		Description	Time
Effective Date		The effective date of this announcement document.	2024/10/30
End of sale		The last date to order the IES6320 V1.0.0 series through 3onedata point-of-sale mechanisms. The product is no longer for sale after this date.	2024/10/30
End of production		The last date when the IES6320 V1.0.0 series officially ceased production. After this date, production of this product will no longer be arranged.	2025/1/30
End of Support	End of technical support	The last date 3onedata releases technical support for IES6320 V1.0.0 series. After the day, no technical support will be provided for this product series.	2030/1/30
	End of after-sale service	The last date 3onedata releases after-sale service for IES6320 V1.0.0 series. After the day, no after sale service will be provided for this product series.	2030/1/30



Table 2: List of product substitution relationships

Current Products		Alternative Products	
Model and Version	PN	Model and Version	PN
IES6320-16GT4GS-2P	500201610101	IES6300-16GT2GS2HS-2P	500201501602
48	0	48	3
IEC6220 46CT 2D40	500201610201	1	1
IES6320-16GT-2P48	0		

Table 3: Appearance of the IES6320 V1.0.0 (left) and IES6300-16GT2GS2HS-2P48 V1.0.0 (right)

IES6320 V1.0.0 series	IES6300-16GT2GS2HS-2P48 V1.0.0 series	
IES6320-16GT-2P48 IES6320-16GT4GS-2P48		



Remark:

Differences between IES6320 V1.0.0 series and IES6300-16GT2GS2HS-2P48 V1.0.0 series are as follows:

1. Dimension

The size of IES6320 V1.0.0 series is $70\text{mm} \times 160\text{mm} \times 130\text{mm}$, the size of IES6300-16GT2GS2HS-2P48 is $79\text{mm} \times 150\text{mm} \times 135\text{mm}$.

2. Structure

The port distribution of IES6300-16GT2GS2HS-2P48 has been changed compared to IES6320 V1.0.0 series, please refer to Table 3.

We hope that this announcement will help you plan ahead for your future network and this measure will not affect the existing service relationship and quality of service.

The explanation of the above content belongs to 3onedata.

3onedata Co., Ltd.

December 2nd, 2024

